

This certificate hereby certified that the product as detailed in this certificate has satisfactorily complied with the requirements of the appropriate Standard(s) and the Certification Scheme Requirement of CREAM Certification Services (CCS)

Name and Address of Certificate Holder


PERI Formwork Malaysia Sdn Bhd
 B-12-02, Level 12, Block B, East Wing, PJ8
 No 23 Jalan Barat, Seksyen 8
 46050 Petaling Jaya, Selangor Darul Ehsan
 Malaysia

Scope of Certification

Particulars of product			
Product Name		Product Standard(s)	
Prefabricated Steel Modular System Scaffolding		MS 1462-3-1:2011 (identical with EN 12810-1:2003)	
Product Descriptions			
<i>Prefabricated Steel Modular System Scaffolding</i> (For details, please refer to the Schedule on the back page)			
Brand Name		Country of Origin	
PERI		German	
Name and Address of Manufacturer			
PERI GmbH Rudolf Diesel Straße, 89264 Weißenhorn, Germany			
Certificate and Validity Dates:	Certification Number		
	CCS PC 1001-17016		
	Date of Initial Certification	Date of Renewal	Valid Until
	16 October 2017	12 January 2022	15 October 2023

This certificate is awarded on the basis of an assessment against the standard(s) for conformity which includes the manufacturer's production control system, production facilities, product conformity to standard coupled with assessment of the supporting quality management system. This Certificate remains the property of CCS and shall be returned upon request. The use of this certificate is subjected to the terms and conditions of the Certification Agreement.

Certificate is approved and issued by


Dato' Ts. Dr. Gerald Sundaraj
 Chief Executive Officer



Serial No: 220015

PRODUCT CERTIFICATION SCHEME

Certificate Number : CCS PC 1001-17016
 Product Name : Prefabricated Steel Modular System Scaffolding
 Product Standard : MS 1462-3-1:2011
 Date of Initial Certification : 16 October 2017
 Date of Renewal : 12 January 2022
 Valid Until : 15 October 2023
 Name and Address of Certificate of Holder : PERI Formwork Malaysia Sdn Bhd
 B-12-02, Level 12, Block B, East Wing, PJ8, No 23 Jalan Barat,
 Seksyen 8, 46050 Petaling Jaya, Selangor Darul Ehsan,
 Malaysia
 Factory/Plant Identification : PERI GmbH
 Name and Address of Manufacturer : PERI GmbH
 Rudolf Diesel Straße, 89264 Weißenhorn, Germany

The certificate holder is solely responsible for the quality and conformity of the product as detail in this certificate with the requirements of the appropriate Standard(s) and the Certification Scheme Requirements of CREAM Certification Services (CCS).

DESIGNATION OF A SCAFFOLD SYSTEM
MS 1462-3-1 – 3D – SW06/300 – H2 – A – LS

FUNDAMENTAL SYSTEM COMPONENTS			
No.	Product	Dimension (mm)	Grade
1.	Adj. Base Plate UJB 38-36/17	Height: 365	S235JRH
2.	Adj. Base Plate UJB 38-50/30	Height: 505	
3.	Adj. Base Plate UJB 38-80/55	Height: 805	
4.	Base Plate UJP	Height: 130	S235JRH
5.	Standard UVR 50	Length: 500	S235JRH
6.	Standard UVR 100	Length: 1000	
7.	Standard UVR 150	Length: 1500	
8.	Standard UVR 200	Length: 2000	
9.	Standard UVR 300	Length: 3000	
10.	Standard UVR 400	Length: 4000	
11.	Top Standard UVH 50	Length: 500	S235JRH
12.	Top Standard UVH 100	Length: 1000	
13.	Top Standard UVH 125	Length: 1250	
14.	Top Standard UVH 150	Length: 1500	
15.	Top Standard UVH 200	Length: 2000	
16.	Top Standard UVH 250	Length: 2500	
17.	Base Standard UVB 24	Height: 470	S235JRH
18.	Ledger UH 25 Plus	Length: 250	S355J0H
19.	Ledger UH 50 Plus	Length: 500	
20.	Ledger UH 75 Plus	Length: 750	
21.	Ledger UH 100 Plus	Length: 1000	
22.	Ledger UH 125 Plus	Length: 1250	

PRODUCT CERTIFICATION SCHEME

Certificate Number : CCS PC 1001-17016
 Product Name : Prefabricated Steel Modular System Scaffolding
 Product Standard : MS 1462-3-1:2011
 Date of Initial Certification : 16 October 2017
 Date of Renewal : 12 January 2022
 Valid Until : 15 October 2023
 Name and Address of Certificate of Holder : PERI Formwork Malaysia Sdn Bhd
 B-12-02, Level 12, Block B, East Wing, PJ8, No 23 Jalan Barat,
 Seksyen 8, 46050 Petaling Jaya, Selangor Darul Ehsan,
 Malaysia
 Factory/Plant Identification : PERI GmbH
 Name and Address of Manufacturer : PERI GmbH
 Rudolf Diesel Straße, 89264 Weißenhorn, Germany

FUNDAMENTAL SYSTEM COMPONENTS			
No.	Product	Dimension (mm)	Grade
23.	Ledger UH 150 Plus	Length: 1500	
24.	Ledger UH 175 Plus	Length: 1750	
25.	Ledger UH 200 Plus	Length: 2000	
26.	Ledger UH 225 Plus	Length: 2250	
27.	Ledger UH 250 Plus	Length: 2500	
28.	Ledger UH 300 Plus	Length: 3000	
29.	Ledger UHV 150 Plus	Length: 1500	
30.	Ledger UHV 200 Plus	Length: 2000	
31.	Ledger UHV 250 Plus	Length: 2500	
32.	Ledger UHV 300 Plus	Length: 3000	
33.	Swing Ledger UPK 75	Length: 750	S355J0H
34.	Swing Ledger UPK 100	Length: 1000	
35.	Swing Ledger UPK 125	Length: 1250	
36.	Steel Deck UDG 25 x 50	Length: 500	S235JR
37.	Steel Deck UDG 25 x 75	Length: 750	
38.	Steel Deck UDG 25 x 100	Length: 1000	
39.	Steel Deck UDG 25 x 125	Length: 1250	
40.	Steel Deck UDG 25 x 150	Length: 1500	
41.	Steel Deck UDG 25 x 200	Length: 2000	
42.	Steel Deck UDG 25 x 250	Length: 2500	
43.	Steel Deck UDG 25 x 300	Length: 3000	DX51D
44.	Deck Link Plate UDC	Length: 119	
45.	Ledger Brace UBL 100/50	Length: 901	S235JRH
46.	Ledger Brace UBL 100/150	Length: 1677	
47.	Ledger Brace UBL 100/200	Length: 2136	
48.	Ledger Brace UBL 150/50	Length: 1347	
49.	Ledger Brace UBL 150/100	Length: 1601	
50.	Ledger Brace UBL 150/150	Length: 1953	

PRODUCT CERTIFICATION SCHEME

Certificate Number : CCS PC 1001-17016
 Product Name : Prefabricated Steel Modular System Scaffolding
 Product Standard : MS 1462-3-1:2011
 Date of Initial Certification : 16 October 2017
 Date of Renewal : 12 January 2022
 Valid Until : 15 October 2023
 Name and Address of Certificate of Holder : PERI Formwork Malaysia Sdn Bhd
 B-12-02, Level 12, Block B, East Wing, PJ8, No 23 Jalan Barat,
 Seksyen 8, 46050 Petaling Jaya, Selangor Darul Ehsan,
 Malaysia
 Factory/Plant Identification : PERI GmbH
 Name and Address of Manufacturer : PERI GmbH
 Rudolf Diesel Straße, 89264 Weißenhorn, Germany

FUNDAMENTAL SYSTEM COMPONENTS			
No.	Product	Dimension (mm)	Grade
51.	Ledger Brace UBL 150/200	Length: 2358	
52.	Ledger Brace UBL 175/200	Length: 2500	
53.	Ledger Brace UBL 200/50	Length: 1820	
54.	Ledger Brace UBL 200/100	Length: 2016	
55.	Ledger Brace UBL 200/150	Length: 2305	
56.	Ledger Brace UBL 200/200	Length: 2658	
57.	Ledger Brace UBL 225/200	Length: 2829	
58.	Ledger Brace UBL 250/100	Length: 2462	
59.	Ledger Brace UBL 250/150	Length: 2705	
60.	Ledger Brace UBL 250/200	Length: 3010	
61.	Ledger Brace UBL 300/50	Length: 2795	
62.	Ledger Brace UBL 300/100	Length: 2926	
63.	Ledger Brace UBL 300/150	Length: 3133	
64.	Ledger Brace UBL 300/200	Length: 3400	
65.	Node Brace UBK 75/200	Length: 2190	S235JRH
66.	Node Brace UBK 100/200	Length: 2285	
67.	Node Brace UBK 125/100	Length: 1625	
68.	Node Brace UBK 125/200	Length: 2401	
69.	Node Brace UBK 150/100	Length: 1821	
70.	Node Brace UBK 150/150	Length: 2152	
71.	Node Brace UBK 150/200	Length: 2539	
72.	Node Brace UBK 200/100	Length: 2246	
73.	Node Brace UBK 200/150	Length: 2521	
74.	Node Brace UBK 200/200	Length: 2860	
75.	Node Brace UBK 250/100	Length: 2696	
76.	Node Brace UBK 250/150	Length: 2930	
77.	Node Brace UBK 250/200	Length: 3226	
78.	Node Brace UBK 300/100	Length: 3131	

PRODUCT CERTIFICATION SCHEME

Certificate Number	:	CCS PC 1001-17016
Product Name	:	Prefabricated Steel Modular System Scaffolding
Product Standard	:	MS 1462-3-1:2011
Date of Initial Certification	:	16 October 2017
Date of Renewal	:	12 January 2022
Valid Until	:	15 October 2023
Name and Address of Certificate of Holder	:	PERI Formwork Malaysia Sdn Bhd B-12-02, Level 12, Block B, East Wing, PJ8, No 23 Jalan Barat, Seksyen 8, 46050 Petaling Jaya, Selangor Darul Ehsan, Malaysia
Factory/Plant Identification	:	PERI GmbH
Name and Address of Manufacturer	:	PERI GmbH Rudolf Diesel Straße, 89264 Weißenhorn, Germany

FUNDAMENTAL SYSTEM COMPONENTS			
No.	Product	Dimension (mm)	Grade
79.	Node Brace UBK 300/200	Length: 3625	S355J0H
80.	H-Brace UBH Flex 100/100	Length: 1335	
81.	H-Brace UBH Flex 125/125	Length: 1689	
82.	H-Brace UBH Flex 150/100	Length: 1725	
83.	H-Brace UBH Flex 150/125	Length: 1874	
84.	H-Brace UBH Flex 150/150	Length: 2042	
85.	H-Brace UBH Flex 200/100	Length: 2161	
86.	H-Brace UBH Flex 200/150	Length: 2422	
87.	H-Brace UBH Flex 200/200	Length: 2749	
88.	H-Brace UBH Flex 250/75	Length: 2541	
89.	H-Brace UBH Flex 250/100	Length: 2620	
90.	H-Brace UBH Flex 250/150	Length: 2838	
91.	H-Brace UBH Flex 250/125	Length: 2720	
92.	H-Brace UBH Flex 250/200	Length: 3123	
93.	H-Brace UBH Flex 250/250	Length: 3456	
94.	H-Brace UBH Flex 300/75	Length: 3025	
95.	H-Brace UBH Flex 300/100	Length: 3092	
96.	H-Brace UBH Flex 300/150	Length: 3279	
97.	H-Brace UBH Flex 300/200	Length: 3528	
98.	H-Brace UBH Flex 300/250	Length: 3826	
99.	H-Brace UBH Flex 300/300	Length: 4163	
100.	Horizontal Brace UBH 150/150	Length: 2042	S235JRH
101.	Horizontal Brace UBH 200/150	Length: 2422	
102.	Horizontal Brace UBH 200/200	Length: 2749	
103.	Horizontal Brace UBH 250/150	Length: 2838	
104.	Horizontal Brace UBH 250/200	Length: 3123	
105.	Horizontal Brace UBH 250/250	Length: 3456	
106.	Horizontal Brace UBH 300/150	Length: 3279	

PRODUCT CERTIFICATION SCHEME

Certificate Number : CCS PC 1001-17016
 Product Name : Prefabricated Steel Modular System Scaffolding
 Product Standard : MS 1462-3-1:2011
 Date of Initial Certification : 16 October 2017
 Date of Renewal : 12 January 2022
 Valid Until : 15 October 2023
 Name and Address of Certificate of Holder : PERI Formwork Malaysia Sdn Bhd
 B-12-02, Level 12, Block B, East Wing, PJ8, No 23 Jalan Barat,
 Seksyen 8, 46050 Petaling Jaya, Selangor Darul Ehsan,
 Malaysia
 Factory/Plant Identification : PERI GmbH
 Name and Address of Manufacturer : PERI GmbH
 Rudolf Diesel Straße, 89264 Weißenhorn, Germany

FUNDAMENTAL SYSTEM COMPONENTS				
No.	Product	Dimension (mm)	Grade	
107.	Horizontal Brace UBH 300/200	Length: 3528		
108.	Horizontal Brace UBH 300/250	Length: 3826		
109.	Horizontal Brace UBH 300/300	Length: 4164		
110.	Industrial Deck UDI 25 x 50	Length: 500	S350GD	
111.	Industrial Deck UDI 25 x 75	Length: 750		
112.	Industrial Deck UDI 25 x 100	Length: 1000		
113.	Industrial Deck UDI 25 x 125	Length: 1250		
114.	Industrial Deck UDI 25 x 150	Length: 1500		
115.	Industrial Deck UDI 25 x 200	Length: 2000		
116.	Industrial Deck UDI 25 x 250	Length: 2500		
117.	Industrial Deck UDI 25 x 300	Length: 3000		
118.	Industrial Deck UDI 37.5 x 50	Length: 500		S350GD
119.	Industrial Deck UDI 37.5 x 75	Length: 750		
120.	Industrial Deck UDI 37.5 x 100	Length: 1000		
121.	Industrial Deck UDI 37.5 x 125	Length: 1250		
122.	Industrial Deck UDI 37.5 x 150	Length: 1500		
123.	Industrial Deck UDI 37.5 x 200	Length: 2000		
124.	Industrial Deck UDI 37.5 x 250	Length: 2500		
125.	Industrial Deck UDI 37.5 x 300	Length: 3000		
126.	Wall Tie UWT 45	Length: 488	S235JRH	
127.	Wall Tie UWT 220	Length: 2238	S355J2H	
128.	Ring Bolt UFE 12/90	-		
129.	Ring Bolt UFE 12/120	-		
130.	Ring Bolt UFE 12/190	-		
131.	Wall Insert UFI 14/70	-		
132.	Wall Insert UFI 14/100	-		
133.	Wall Insert UFI 14/135	-		

PRODUCT CERTIFICATION SCHEME

Certificate Number : CCS PC 1001-17016
 Product Name : Prefabricated Steel Modular System Scaffolding
 Product Standard : MS 1462-3-1:2011
 Date of Initial Certification : 16 October 2017
 Date of Renewal : 12 January 2022
 Valid Until : 15 October 2023
 Name and Address of Certificate of Holder : PERI Formwork Malaysia Sdn Bhd
 B-12-02, Level 12, Block B, East Wing, PJ8, No 23 Jalan Barat,
 Seksyen 8, 46050 Petaling Jaya, Selangor Darul Ehsan,
 Malaysia
 Factory/Plant Identification : PERI GmbH
 Name and Address of Manufacturer : PERI GmbH
 Rudolf Diesel Straße, 89264 Weißenhorn, Germany

SIDE PROTECTOR			
No.	Product	Dimension (mm)	Grade
1.	Stair Guardrail UAG	Height: 2309 Length: 1294	S235JRH
2.	Stair Guardrail UAH	Height: 519 Length: 976	
3.	Toe board Steel UPY 50	Length: 500	S350GD
4.	Toe board Steel UPY 75	Length: 750	
5.	Toe board Steel UPY 100	Length: 1000	
6.	Toe board Steel UPY 150	Length: 1500	
7.	Toe board Steel UPY 200	Length: 2000	
8.	Toe board Steel UPY 250	Length: 2500	
9.	Toe board Steel UPY 300	Length: 3000	

ACCESS COMPONENTS			
No.	Product	Dimension (mm)	Grade
1.	Staircase UAS 75 x 250/200, Alu	Height: 2000 Length: 2500	EN AW-6082 T5
2.	Staircase UAS 75 x 300/200, Alu	Height: 2000 Length: 3000	
3.	Staircase UAS 75 x 75/50, Alu	Height: 500 Length: 750	
4.	Staircase UAS 75 x 150/50 T, Alu	Height: 500 Length: 1500	
5.	Staircase UAS 75 x 150/50 S, Alu	Height: 500 Length: 1500	
6.	Staircase UAS 75 x 150/100, Alu	Height: 1000 Length: 1500	
7.	Staircase UAS 75 x 150/100 S, Alu	Height: 1000 Length: 1500	
8.	Hatch UAF 50 x 75	Length: 700 Width: 554	S235JR
9.	Hatch UAF 75 x 100	Length: 950 Width: 805	
10.	Ladder UAF 200, Alu	Length: 2170	S235JR
11.	Stair Stringer UA 125/100	Height: 500 Length: 1250	S355J2G3

PRODUCT CERTIFICATION SCHEME

Certificate Number	:	CCS PC 1001-17016
Product Name	:	Prefabricated Steel Modular System Scaffolding
Product Standard	:	MS 1462-3-1:2011
Date of Initial Certification	:	16 October 2017
Date of Renewal	:	12 January 2022
Valid Until	:	15 October 2023
Name and Address of Certificate of Holder	:	PERI Formwork Malaysia Sdn Bhd B-12-02, Level 12, Block B, East Wing, PJ8, No 23 Jalan Barat, Seksyen 8, 46050 Petaling Jaya, Selangor Darul Ehsan, Malaysia
Factory/Plant Identification	:	PERI GmbH
Name and Address of Manufacturer	:	PERI GmbH Rudolf Diesel Straße, 89264 Weißenhorn, Germany

ACCESS COMPONENTS			
No.	Product	Dimension (mm)	Grade
12.	Stair Stringer UA 250/200	Height: 1500 Length: 2500	
13.	Stair Step UAR 100	Length: 1000	S350GD
14.	Stair Step UAR 125	Length: 1250	
15.	End Step UAE 100	Length: 1000	S350GD
16.	End Step UAE 125	Length: 1250	

ANCILARRY COMPONENTS			
No.	Product	Dimension (mm)	Grade
1.	Bottom Sheeting UDP 75	Height: 678	EN AW-5754 H1
2.	Bottom Sheeting UDP 100	Height: 928	
3.	Lattice Girder Steel ULS 50/425	Length: 4250	S235JRH
4.	Lattice Girder Steel ULS 50/525	Length: 5250	
5.	Lattice Girder Steel ULS 50/625	Length: 6250	
6.	Lattice Girder Steel ULS 70/525	Length: 5250	S235JRH
7.	Lattice Girder Steel ULS 70/625	Length: 6250	
8.	Lattice Girder Steel ULS 70/825	Length: 8250	
9.	Corner Sheeting UDC 75	Length: 750	EN AW-5754 H1
10.	Corner Sheeting UDC 100	Length: 1000	
11.	Lattice Girder Alu ULA 50/425 HD	Length: 4250	EN AW-6082 T5
12.	Lattice Girder Alu ULA 50/525 HD	Length: 5250	
13.	Lattice Girder Alu ULA 50/625 HD	Length: 6250	
14.	Lattice Girder Alu ULA 70/825 HD	Length: 8250	EN AW-6082 T5
15.	Console Bracket Brace UCM	Length: 1790	S235JRH
16.	Starter Tube ULB 50/70	Height: 920	S355J2H
17.	Additional Element ULS 150 Flex	Length: 1500	S355J2H
18.	Additional Element ULS 125 Flex	Length: 1250	
19.	Additional Element ULS 100 Flex	Length: 1000	
20.	End Element ULS 50 Flex	Length: 500	S355J2H

PRODUCT CERTIFICATION SCHEME

Certificate Number : CCS PC 1001-17016
 Product Name : Prefabricated Steel Modular System Scaffolding
 Product Standard : MS 1462-3-1:2011
 Date of Initial Certification : 16 October 2017
 Date of Renewal : 12 January 2022
 Valid Until : 15 October 2023
 Name and Address of Certificate of Holder : PERI Formwork Malaysia Sdn Bhd
 B-12-02, Level 12, Block B, East Wing, PJ8, No 23 Jalan Barat,
 Seksyen 8, 46050 Petaling Jaya, Selangor Darul Ehsan,
 Malaysia
 Factory/Plant Identification : PERI GmbH
 Name and Address of Manufacturer : PERI GmbH
 Rudolf Diesel Straße, 89264 Weißenhorn, Germany

ANCILARRY COMPONENTS			
No.	Product	Dimension (mm)	Grade
21.	Connector ULS Flex	Height: 550	S235JRH
22.	Safety Entry Gate UPS 75	Length: 747	S235JRH
23.	Safety Entry Gate UPS 100	Length: 996	S235JRH
24.	Adapter Hang UEH	-	S500MC
25.	Ladder Connector Ledger UAM-S	-	S355MC
26.	Ladder Connector Ledger UAM-W	-	S355MC
27.	Corner Sheeting UDC 50	-	S355MC

ACCESSORIES			
No.	Product	Dimension (mm)	Grade
28.	Handle Lock UJS Plus	84	-
29.	Spigot ULT 32	Height: 320 Diameter: 38	S355J0H
30.	Wide Ladder Bracket UAV 43-C	-	Q235B
31.	Spindle Lining UES	-	Not applicable
32.	Poly Cover Couplings UPC-C	-	Not applicable
33.	Poly Cover Rosette UPC-R	-	Not applicable
34.	Poly Cover Tube UPC-T	-	Not applicable

Name & Address of Factory : PERI Werk Gunzburg GmbH, Leitwerk Gerust, Kimmile Ring 14, 89312 Gunzburg

End of page